

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Revision Date 29.08.2018

Version 1.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 90-15-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt *Germany* Telefon:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

Regional representation Merck Sdn. Bhd. (Co. No: 178145), No. 4, Jalan U1/26, Section U1,

Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor. Tel:

03-74943688 Fax: 03-74910850

1.4 Emergency telephone

number

Customer Call Centre: + 62 0800 140 1253 (Toll Free)

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to CLASS regulations 2013

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 3, Dermal, H311

Skin irritation, Category 2, H315

Serious eye damage, Category 1, H318

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according to CLASS regulations 2013

Hazard pictograms





Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

according to Occupational Safety And Health (Classification,

Labelling And Safety Data Sheet Of Hazardous Chemicals)

Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word

Danger

Hazard statements

H311 Toxic in contact with skin.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

CAS-No. 90-15-3

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula C₁₀H₇OH C₁₀H₈O (Hill)

EC-No. 201-969-4

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Molar mass 144.17 g/mol

Hazardous components according to CLASS regulations 2013

Chemical name (Concentration)

CAS-No. Registration number Classification

1-naphtol (<= 100 %) 90-15-3 *)

> Acute toxicity, Category 4, H302 Acute toxicity, Category 3, H311 Skin irritation, Category 2, H315

Serious eye damage, Category 1, H318

Specific target organ toxicity - single exposure, Category 3, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

^{*)} A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, respiratory paralysis, Shortness of breath, gastric pain, Diarrhoea, Nausea, Vomiting, Circulatory collapse, Headache, Convulsions, shock, CNS disorders

Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons. Protected from light.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour light blue

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Odour phenol-like

Odour Threshold No information available.

pH No information available.

Melting point 94 - 96 °C

Boiling point/boiling range ca. 288 °C

at 1,013 hPa

Flash point 125 °C

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure 1.3 hPa

at 94 °C

Relative vapour density No information available.

Density 1.28 g/cm3

at 20 $^{\circ}\text{C}$

Relative density No information available.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Water solubility ca.0.1 g/l

at 20 °C

Partition coefficient: n- log Pow: 2.85 octanol/water (experimental)

(Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 510 °C

Bulk density ca.450 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Sensitivity to light

sublimable

Sensitive to air.

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Strong oxidizing agents

Violent reactions possible with:

strong alkalis, Acid chlorides, Acid anhydrides

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 1,870 mg/kg

(RTECS)

Symptoms: Irritation of mucous membranes, gastric pain, shock

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Acute dermal toxicity

LD50 Rabbit: 880 mg/kg

(RTECS)

Skin irritation

Rabbit

Result: Severe irritations

(External MSDS)

Causes skin irritation.

Eye irritation

Rabbit

Result: Eye irritation

(External MSDS)

Causes serious eye damage.

Risk of corneal clouding.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(Lit.)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After absorption:

Nausea, Vomiting, Diarrhoea, CNS disorders, Convulsions, Headache, Circulatory collapse,

respiratory paralysis

haemolysis

After absorption of large quantities:

Damage to:

Kidney, Liver

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 4.33 mg/l; 48 h

(HSDB)

Toxicity to bacteria

EC50 Photobacterium phosphoreum: 30 - 40 mg/l; 5 min

(Lit.)

12.2 Persistence and degradability

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

```
Biodegradability
> 70 %
OECD Test Guideline 301D
Readily biodegradable
Theoretical oxygen demand (ThOD)
2.55 mg/l

(Lit.)
Ratio BOD/ThBOD
60 %
(Lit.)
Ratio COD/ThBOD
91 %
(Lit.)
```

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 2.85 (experimental)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 2811

14.2 Proper shipping name TOXIC SOLID, ORGANIC, N.O.S. (1-NAPHTHOL)

14.3 Class 6.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Occupational Safety And Health (Classification,

Labelling And Safety Data Sheet Of Hazardous Chemicals)

Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

14.1 UN number UN 2811

14.2 Proper shipping name TOXIC SOLID, ORGANIC, N.O.S. (1-NAPHTHOL)

14.3 Class 6.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

14.1 UN number UN 2811

14.2 Proper shipping name TOXIC SOLID, ORGANIC, N.O.S. (1-NAPHTHOL)

14.3 Class 6.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-A

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

All national and local regulations, including Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013, if applicable to the use, should be observed.

National legislation

Storage class 6.1C

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing.

according to Occupational Safety And Health (Classification, Labelling And Safety Data Sheet Of Hazardous Chemicals) Regulations 2013 (CLASS 2013)

Catalogue No. 106223

Product name 1-Naphthol GR for analysis

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

Merck Sdn. Bhd. (Co. No: 178145), No. 4, Jalan U1/26, Section U1, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor. Tel: 03-74943688 Fax: 03-74910850

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.