

SAFETY DATA SHEET

Version 6.3
Revision Date 27.01.2020
Print Date 29.08.2020

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifiers

Product name : (3-Aminopropyl)trimethoxysilane

Product Number : 281778
Brand : Aldrich
CAS-No. : 13822-56-5

1.2 Other means of identification

3-(Trimethoxysilyl)propylamine

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

1.4 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH (M) SDN BHD
Level 3, Menara Sunway Annexe,
Jalan Lagoon Timur, Bandar Sunway,
46150 PETALING JAYA, SELANGOR
MALAYSIA

Telephone : +60 (603)03-563-53321
Fax : +60 (603)03-563-54116

1.5 Emergency telephone number

Emergency Phone # : 1-800-815-308 (CHEMTREC) * + 62 0800
140 1253 (Customer Call Centre)

Section 2: Hazard identification

2.1 GHS Classification

Classification according to CLASS regulations 2013
Skin corrosion/irritation (Category 2), H315
Serious eye damage/eye irritation (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Labelling according to CLASS regulations 2013

Pictogram



Signal word : Danger

Hazard statement(s)

H315 : Causes skin irritation.
H318 : Causes serious eye damage.

Precautionary statement(s)

Prevention

P264

Wash skin thoroughly after handling.

P280

Wear protective gloves/ eye protection/ face protection.

Response

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 +

IF IN EYES: Rinse cautiously with water for several minutes.

P310

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P332 + P313

If skin irritation occurs: Get medical advice/ attention.

P362

Take off contaminated clothing and wash before reuse.

2.3 Other hazards - none

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Substance

3.1 Substances

Synonyms : 3-(Trimethoxysilyl)propylamine

Formula : $C_6H_{17}NO_3Si$

Molecular weight : 179.29 g/mol

CAS-No. : 13822-56-5

EC-No. : 237-511-5

Hazardous components

Component	Classification	Concentration
3-(Trimethoxysilyl)propylamine		
	2; 1; H315, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO_x), silicon oxides
Combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.
Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls and personal protection

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 120 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: liquid Colour: colourless
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/freezing point: < -80 °C at 1,013 hPa - OECD Test Guideline 102
f) Initial boiling point and boiling range	91 - 92 °C at 20 hPa - lit.
g) Flash point	87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	1.027 g/cm ³ at 25 °C
n) Water solubility	soluble
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	1.77 mm ² /s at 20 °C -

- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

May decompose on exposure to moist air or water.
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong acids, Strong oxidizing agents, Water, Bases, Alcohols, Peroxides

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NO_x), silicon oxides
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 2,970 mg/kg
(OECD Test Guideline 401)
LD50 Dermal - Rat - male - 11,300 mg/kg
(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit
Result: Irritating to skin. - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit
Result: Risk of serious damage to eyes.
(OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximisation Test - Guinea pig
Result: negative
(OECD Test Guideline 406)

Germ cell mutagenicity

No data available
Ames test

Escherichia coli/Salmonella typhimurium
Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - No observed adverse effect level - 100 mg/kg
RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - > 934 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 331 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to bacteria	static test EC50 - Pseudomonas putida - 43 mg/l - 5.75 h Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 76 % - Readily biodegradable. (OECD Test Guideline 306)
------------------	--

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

SECTION 13: Disposal information

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transportation information

14.1 UN number

ADR/RID: -

IMDG: -

IATA-DGR: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA-DGR: -

14.4 Packaging group

ADR/RID: -

IMDG: -

IATA-DGR: -

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

Strong acids, Strong oxidizing agents, Water, Bases, Alcohols, Peroxides

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status

AICS: On the inventory, or in compliance with the inventory

DSL: All components of this product are on the Canadian DSL

ENCS: On the inventory, or in compliance with the inventory

ISHL: On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

NZIoC: On the inventory, or in compliance with the inventory

PICCS: On the inventory, or in compliance with the inventory

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation.

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.